

$b(E) \times 10^6$ [cm²g⁻¹] for
lanthanum fluoride (LaF₃)
 $\langle Z/A \rangle = 0.42879$

E [GeV]	b_{brems}	b_{pair}	b_{nucl}	b_{tot}
2.	1.1320	0.4219	0.3993	1.9532
5.	1.5604	1.2710	0.4254	3.2569
10.	1.9094	1.9326	0.4158	4.2580
20.	2.2681	2.5735	0.3961	5.2376
50.	2.7396	3.5295	0.3818	6.6509
100.	3.0769	4.1691	0.3733	7.6193
200.	3.3873	4.7419	0.3691	8.4983
500.	3.7390	5.2752	0.3690	9.3832
1000.	3.9534	5.5635	0.3749	9.8918
2000.	4.1222	5.7714	0.3842	10.2779
5000.	4.2809	5.9467	0.4015	10.6290
10000.	4.3605	6.0281	0.4187	10.8074
20000.	4.4137	6.0811	0.4389	10.9337
50000.	4.4581	6.1211	0.4703	11.0495
100000.	4.4781	6.1377	0.4971	11.1129