

$b(E) \times 10^6$ [cm²g⁻¹] for
striated muscle (ICRU)
 $\langle Z/A \rangle = 0.55005$

| E [GeV] | b_{brems} | b_{pair} | b_{nucl} | b_{tot} |
|---------|--------------------|-------------------|-------------------|------------------|
| 2. | 0.2865 | 0.1260 | 0.4708 | 0.8833 |
| 5. | 0.3887 | 0.3113 | 0.4984 | 1.1984 |
| 10. | 0.4732 | 0.4701 | 0.4834 | 1.4268 |
| 20. | 0.5622 | 0.6428 | 0.4611 | 1.6662 |
| 50. | 0.6833 | 0.8859 | 0.4367 | 2.0060 |
| 100. | 0.7733 | 1.0577 | 0.4248 | 2.2558 |
| 200. | 0.8593 | 1.2157 | 0.4187 | 2.4937 |
| 500. | 0.9606 | 1.3781 | 0.4178 | 2.7565 |
| 1000. | 1.0256 | 1.4773 | 0.4244 | 2.9273 |
| 2000. | 1.0795 | 1.5471 | 0.4358 | 3.0623 |
| 5000. | 1.1334 | 1.6086 | 0.4570 | 3.1990 |
| 10000. | 1.1621 | 1.6376 | 0.4785 | 3.2783 |
| 20000. | 1.1824 | 1.6559 | 0.5038 | 3.3421 |
| 50000. | 1.1999 | 1.6704 | 0.5433 | 3.4136 |
| 100000. | 1.2082 | 1.6763 | 0.5773 | 3.4619 |