

$N(2060) 5/2^-$ $I(J^P) = \frac{1}{2}(\frac{5}{2}^-)$ Status: ***

Before our 2012 *Review*, this state appeared in our Listings as the $N(2200)$.

 $N(2060)$ POLE POSITION**REAL PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2020 to 2130 (\approx 2070) OUR ESTIMATE			
2030 \pm 15	SOKHOYAN	15A	DPWA Multichannel
2119 \pm 11 \pm 1	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
2100 \pm 60	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
2040 \pm 15	ANISOVICH	12A	DPWA Multichannel
2064	SHRESTHA	12A	DPWA Multichannel
2144 \pm 31	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$

¹Fit to the amplitudes of HOEHLER 79.

-2xIMAGINARY PART

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
350 to 430 (\approx 400) OUR ESTIMATE			
400 \pm 35	SOKHOYAN	15A	DPWA Multichannel
370 \pm 20 \pm 5	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
360 \pm 80	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
390 \pm 25	ANISOVICH	12A	DPWA Multichannel
267	² SHRESTHA	12A	DPWA Multichannel
438 \pm 13	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$

¹Fit to the amplitudes of HOEHLER 79.

²Statistical error only.

 $N(2060)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
15 to 30 (\approx 20) OUR ESTIMATE			
25 \pm 8	SOKHOYAN	15A	DPWA Multichannel
19 \pm 1 \pm 1	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
20 \pm 10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
19 \pm 5	ANISOVICH	12A	DPWA Multichannel
26	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$

¹Fit to the amplitudes of HOEHLER 79.

PHASE θ

<u>VALUE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
–130 to –90 (\approx –110) OUR ESTIMATE			
–130 \pm 20	SOKHOYAN	15A	DPWA Multichannel
–94 \pm 5 \pm 1	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
–90 \pm 50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
–125 \pm 20	ANISOVICH	12A	DPWA Multichannel
–71	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
¹ Fit to the amplitudes of HOEHLER 79.			

 $N(2060)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(2060) \rightarrow N\eta$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.05 \pm 0.03	40 \pm 25	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2060) \rightarrow \Lambda K$

<u>MODULUS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.01 \pm 0.005	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2060) \rightarrow \Sigma K$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.04 \pm 0.02	–70 \pm 30	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2060) \rightarrow \Delta(1232)\pi, D$ -wave

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.06 \pm 0.03	–90 \pm 40	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2060) \rightarrow N\sigma$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.12 \pm 0.06	80 \pm 40	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2060) \rightarrow N(1440)\pi$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.17 \pm 0.09	–60 \pm 35	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2060) \rightarrow N(1520)\pi, P$ -wave

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.14 \pm 0.06	–45 \pm 15	SOKHOYAN	15A	DPWA Multichannel

 $N(2060)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2030 to 2200 (\approx 2100) OUR ESTIMATE			
2045 \pm 15	SOKHOYAN	15A	DPWA Multichannel
2116 \pm 21	¹ SHRESTHA	12A	DPWA Multichannel
2180 \pm 80	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
2228 \pm 30	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			

2060±15	ANISOVICH	12A	DPWA	Multichannel
2217±27	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$

¹Statistical error only.**N(2060) BREIT-WIGNER WIDTH**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
300 to 450 (\approx 400) OUR ESTIMATE			
420±30	SOKHOYAN	15A	DPWA Multichannel
307±112	¹ SHRESTHA	12A	DPWA Multichannel
400±100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
310±50	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
375±25	ANISOVICH	12A	DPWA Multichannel
481±17	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$

¹Statistical error only.**N(2060) DECAY MODES**

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	7–12 %
Γ_2 $N\eta$	2–6 %
Γ_3 $N\omega$	1–7 %
Γ_4 ΛK	seen
Γ_5 ΣK	1–5 %
Γ_6 $N\pi\pi$	7–19 %
Γ_7 $\Delta(1232)\pi$	
Γ_8 $\Delta(1232)\pi, D\text{-wave}$	4–10 %
Γ_9 $N\rho$	
Γ_{10} $N\rho, S=1/2, P\text{-wave}$	seen
Γ_{11} $\Lambda K^*(892)$	0.3–1.3 %
Γ_{12} $N\sigma$	3–9 %
Γ_{13} $N(1440)\pi$	4–14 %
Γ_{14} $N(1520)\pi, P\text{-wave}$	9–21 %
Γ_{15} $N(1680)\pi, S\text{-wave}$	8–22 %
Γ_{16} $p\gamma$	0.03–0.19 %
Γ_{17} $p\gamma, \text{helicity}=1/2$	0.02–0.08 %
Γ_{18} $p\gamma, \text{helicity}=3/2$	0.01–0.10 %
Γ_{19} $n\gamma$	0.003–0.07 %
Γ_{20} $n\gamma, \text{helicity}=1/2$	0.001–0.02 %
Γ_{21} $n\gamma, \text{helicity}=3/2$	0.002–0.05 %

$N(2060)$ BRANCHING RATIOS **$\Gamma(N\pi)/\Gamma_{\text{total}}$ Γ_1/Γ**

VALUE (%)	DOCUMENT ID	TECN	COMMENT
-----------	-------------	------	---------

7 to 12 (≈ 10) OUR ESTIMATE

11 \pm 2	SOKHOYAN	15A	DPWA Multichannel
9 \pm 2	¹ SHRESTHA	12A	DPWA Multichannel
10 \pm 3	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
7 \pm 2	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
8 \pm 2	ANISOVICH	12A	DPWA Multichannel
13 \pm 4	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$

¹Statistical error only. **$\Gamma(N\eta)/\Gamma_{\text{total}}$ Γ_2/Γ**

VALUE (%)	DOCUMENT ID	TECN	COMMENT
-----------	-------------	------	---------

4 \pm 2	ANISOVICH	12A	DPWA Multichannel
<1	¹ SHRESTHA	12A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
0.2 \pm 1.0	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$

¹Statistical error only. **$\Gamma(N\omega)/\Gamma_{\text{total}}$ Γ_3/Γ**

VALUE (%)	DOCUMENT ID	TECN	COMMENT
-----------	-------------	------	---------

4 \pm 3	DENISENKO	16	DPWA Multichannel
-----------	-----------	----	-------------------

 $\Gamma(\Sigma K)/\Gamma_{\text{total}}$ Γ_5/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
-----------	-------------	------	---------

3 \pm 2	ANISOVICH	12A	DPWA Multichannel
-----------	-----------	-----	-------------------

 $\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$ Γ_8/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
-----------	-------------	------	---------

7 \pm 3	SOKHOYAN	15A	DPWA Multichannel
40 \pm 13	¹ SHRESTHA	12A	DPWA Multichannel

¹Statistical error only. **$\Gamma(N\rho, S=1/2, P\text{-wave})/\Gamma_{\text{total}}$ Γ_{10}/Γ**

VALUE (%)	DOCUMENT ID	TECN	COMMENT
-----------	-------------	------	---------

21 \pm 15	SHRESTHA	12A	DPWA Multichannel
-------------	----------	-----	-------------------

¹Statistical error only. **$\Gamma(\Lambda K^*(892))/\Gamma_{\text{total}}$ Γ_{11}/Γ**

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

0.008 \pm 0.005	ANISOVICH	17B	DPWA Multichannel
-------------------	-----------	-----	-------------------

 $\Gamma(N\sigma)/\Gamma_{\text{total}}$ Γ_{12}/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
-----------	-------------	------	---------

6 \pm 3	SOKHOYAN	15A	DPWA Multichannel
-----------	----------	-----	-------------------

$\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$				Γ_{13}/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT	
9±5	SOKHOYAN	15A	DPWA	Multichannel

$\Gamma(N(1520)\pi, P\text{-wave})/\Gamma_{\text{total}}$				Γ_{14}/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT	
15±6	SOKHOYAN	15A	DPWA	Multichannel

$\Gamma(N(1680)\pi, S\text{-wave})/\Gamma_{\text{total}}$				Γ_{15}/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT	
15±7	SOKHOYAN	15A	DPWA	Multichannel

$N(2060)$ PHOTON DECAY AMPLITUDES AT THE POLE

$N(2060) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
0.064±0.010	12 ± 8	SOKHOYAN	15A	DPWA Multichannel

$N(2060) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
0.060±0.020	13 ± 10	SOKHOYAN	15A	DPWA Multichannel

$N(2060)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES

$N(2060) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.062±0.010	SOKHOYAN	15A	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.018±0.004	¹ SHRESTHA	12A	DPWA Multichannel
-------------	-----------------------	-----	-------------------

¹Statistical error only.

$N(2060) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.062±0.020	SOKHOYAN	15A	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.010±0.004	¹ SHRESTHA	12A	DPWA Multichannel
-------------	-----------------------	-----	-------------------

¹Statistical error only.

$N(2060) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.025±0.011	ANISOVICH	13B	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

−0.012±0.017	¹ SHRESTHA	12A	DPWA Multichannel
--------------	-----------------------	-----	-------------------

¹Statistical error only.

$N(2060) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.037 ± 0.017	ANISOVICH	13B	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
-0.023 ± 0.023	¹ SHRESTHA	12A	DPWA Multichannel
¹ Statistical error only.			

$N(2060)$ REFERENCES

ANISOVICH	17B	PL B771 142	A.V. Anisovich <i>et al.</i>	
DENISENKO	16	PL B755 97	I. Denisenko <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL)
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP