

$\Sigma_c(2520)$ $I(J^P) = 1(\frac{3}{2}^+)$ Status: ***

Seen in the $\Lambda_c^+ \pi^\pm$ mass spectrum. The natural assignment is that this is the $J^P = 3/2^+$ excitation of the $\Sigma_c(2455)$, the charm counterpart of the $\Sigma(1385)$, but neither J nor P has been measured.

 $\Sigma_c(2520)$ MASSES

The masses are obtained from the mass-difference measurements that follow.

 $\Sigma_c(2520)^{++}$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

2518.41^{+0.21}_{-0.19} OUR FIT Error includes scale factor of 1.1.

• • • We do not use the following data for averages, fits, limits, etc. • • •

2530 ±5 ±5	6	¹ AMMOSOV	93	HLBC	$\nu p \rightarrow \mu^- \Sigma_c(2530)^{++}$
------------	---	----------------------	----	------	-----------------------------------------------

¹ AMMOSOV 93 sees a cluster of 6 events and estimates the background to be 1 event.

 $\Sigma_c(2520)^+$ MASS

VALUE (MeV)	DOCUMENT ID
-------------	-------------

2517.5±2.3 OUR FIT

 $\Sigma_c(2520)^0$ MASS

VALUE (MeV)	DOCUMENT ID
-------------	-------------

2518.48±0.20 OUR FIT Error includes scale factor of 1.1.

 $\Sigma_c(2520)$ MASS DIFFERENCES $m_{\Sigma_c(2520)^{++}} - m_{\Lambda_c^+}$


VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

231.95^{+0.17}_{-0.12} OUR FIT Error includes scale factor of 1.3.

231.95±0.16 OUR AVERAGE Error includes scale factor of 1.6. See the ideogram below.

231.99±0.10±0.02	44k	LEE	14	BELL	e^+e^- at $\Upsilon(4S)$
230.73±0.56±0.16	8.8k	AALTONEN	11H	CDF	$p\bar{p}$ at 1.96 TeV
231.5 ±0.4 ±0.3	1.3k	ATHAR	05	CLEO	e^+e^- , 9.4–11.5 GeV
234.5 ±1.1 ±0.8	677	BRANDENB...	97	CLE2	$e^+e^- \approx \Upsilon(4S)$

WEIGHTED AVERAGE
 231.95 ± 0.16 (Error scaled by 1.6)




$m_{\Sigma_c(2520)^+} - m_{\Lambda_c^+}$

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
231.0 ± 2.3 OUR FIT				
$231.0 \pm 1.1 \pm 2.0$	327	AMMAR 01	CLE2	$e^+e^- \approx \Upsilon(4S)$

$m_{\Sigma_c(2520)^0} - m_{\Lambda_c^+}$

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
$232.02^{+0.15}_{-0.14}$ OUR FIT				Error includes scale factor of 1.3.
232.02 ± 0.17 OUR AVERAGE				Error includes scale factor of 1.5. See the ideogram below.
$231.98 \pm 0.11 \pm 0.04$	41k	LEE 14	BELL	e^+e^- at $\Upsilon(4S)$
$232.88 \pm 0.43 \pm 0.16$	9.0k	AALTONEN 11H	CDF	$p\bar{p}$ at 1.96 TeV
$231.4 \pm 0.5 \pm 0.3$	1.3k	ATHAR 05	CLEO	e^+e^- , 9.4–11.5 GeV
$232.6 \pm 1.0 \pm 0.8$	504	BRANDENB... 97	CLE2	$e^+e^- \approx \Upsilon(4S)$

WEIGHTED AVERAGE
 232.02 ± 0.17 (Error scaled by 1.5)



$m_{\Sigma_c(2520)^{++}} - m_{\Sigma_c(2520)^0}$

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
$0.01 \pm 0.15 \pm 0.03$	44/41k	LEE	14	BELL e^+e^- at $\Upsilon(4S)$
0.1 \pm 0.8 \pm 0.3		² ATHAR	05	CLEO e^+e^- , 9.4–11.5 GeV
1.9 \pm 1.4 \pm 1.0		³ BRANDENB...	97	CLE2 $e^+e^- \approx \Upsilon(4S)$

• • • We do not use the following data for averages, fits, limits, etc. • • •
²This ATHAR 05 result is redundant with measurements in earlier entries.
³This BRANDENBURG 97 result is redundant with measurements in earlier entries.

$\Sigma_c(2520)$ WIDTHS

$\Sigma_c(2520)^{++}$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
$14.78^{+0.30}_{-0.40}$	OUR AVERAGE			
$14.77 \pm 0.25^{+0.18}_{-0.30}$	44k	LEE	14	BELL e^+e^- at $\Upsilon(4S)$
$15.03 \pm 2.12 \pm 1.36$	8.8k	AALTONEN	11H	CDF $p\bar{p}$ at 1.96 TeV
$14.4^{+1.6}_{-1.5} \pm 1.4$	1.3k	ATHAR	05	CLEO e^+e^- , 9.4–11.5 GeV
$17.9^{+3.8}_{-3.2} \pm 4.0$	677	BRANDENB...	97	CLE2 $e^+e^- \approx \Upsilon(4S)$

$\Sigma_c(2520)^+$ WIDTH

VALUE (MeV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<17	90	327	AMMAR	01	CLE2 $e^+e^- \approx \Upsilon(4S)$

$\Sigma_c(2520)^0$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT			
15.3	+0.4	OUR AVERAGE					
	-0.5						
15.41 ± 0.41	$^{+0.20}_{-0.32}$	41k	LEE	14	BELL	e^+e^- at $\Upsilon(4S)$	
$12.51 \pm 1.82 \pm 1.37$	9.0k	AALTONEN	11H	CDF	$p\bar{p}$ at 1.96 TeV		
16.6	$^{+1.9}_{-1.7}$	± 1.4	1.3k	ATHAR	05	CLEO	e^+e^- , 9.4–11.5 GeV
13.0	$^{+3.7}_{-3.0}$	± 4.0	504	BRANDENB...	97	CLE2	$e^+e^- \approx \Upsilon(4S)$

$\Sigma_c(2520)$ DECAY MODES

$\Lambda_c^+ \pi$ is the only strong decay allowed to a Σ_c having this mass.

Mode	Fraction (Γ_j/Γ)
$\Gamma_1 \quad \Lambda_c^+ \pi$	$\approx 100 \%$

$\Sigma_c(2520)$ REFERENCES

LEE	14	PR D89 091102	S.-H. Lee <i>et al.</i>	(BELLE Collab.)
AALTONEN	11H	PR D84 012003	T. Aaltonen <i>et al.</i>	(CDF Collab.)
ATHAR	05	PR D71 051101	S.B. Athar <i>et al.</i>	(CLEO Collab.)
AMMAR	01	PRL 86 1167	R. Ammar <i>et al.</i>	(CLEO Collab.)
BRANDENB...	97	PRL 78 2304	G. Brandenburg <i>et al.</i>	(CLEO Collab.)
AMMOSOV	93	JETPL 58 247	V.V. Ammosov <i>et al.</i>	(SERP)
Translated from ZETFP 58 241.				